Toxicology, 70 (1991) 375–377
Elsevier Scientific Publishers Ireland Ltd.

TOXICOLOGY

VOLUME CONTENTS

Volume 70 (1991)

Special Issue: Environmental Pollutants and Diseases by A.F.W. Morselt

A cell biological approach using chronic cadmium exposure in the animal model as a paradigm case

Preface ix
Acknowledgements x
General introduction 1
Cadmium: introduction, toxicology, public health aspects 5
Effects of high doses of cadmium at the cellular level; irreversible damage 6
Effects of low doses of cadmium at the cellular level. Defense mechanisms of the cell. High molecular weight (HMW) protein and metallothionein 13
Pathological aspects at the cellular level of HMW protein and metallothionein synthesis 23
Alterations of liver cells after chronic exposure to low doses of cadmium despite an induction of synthesis of metallothionein 27
Effects of cadmium at the organ level. Cell biological and histochemical studies 39
Intestine 39
Airways, lungs 40
Blood 43
Blood vessels, heart 44
Liver, kidney 54
Immune apparatus, thymus and spleen 59
The nervous system 66
The reproductive organs 70
The endocrine system 79
The predictive value of animal studies for human health 79
Contribution of cell biological and histochemical studies to the risk assessment of cadmium for public health 81
Effects of some other environmental pollutants at the cellular level 93
Lead, similarity and differences with cadmium 93
Contribution of morphological studies to the relationship of aluminium and Alzheimer disease 96
Description of the effects of the main groups of environmental pollutants threatening the human population 99
Influence of physical activity, psychogenic stress, age and nutrition on toxicity of environmental pollutants. Contributions of cell biological and histochemical studies 107
Physical activity 107
Psychogenic stress 108
Circadian rhythm 109
Age 109
Nutrition 110
Variation in individual susceptibility to toxicity of environmental pollutants. Some contributions of cell biological and histochemical studies 113
Environmental pollutants, animal pathology, human diseases. Contributions of cell biology and histochemistry. Concluding remarks 119
Cell biological and histochemical methods used or useful for environmental toxicology 123
Methods concerning the localization of environmental pollutants in the organism, organ, cell, or cell organelle 123
Qualitative methods to establish damage or alterations of cells and cell parts caused by environmental pollutant exposure 125
Quantitation of damage or alteration at the cellular level 127
Estimation of cell death; identification of pathological intracellular structures 128

Acute effects of T-2 toxin on radioactive iron incorporation into circulating erythrocytes in mice (**Damage to the erythropoietic system is a sensitive indicator of T-2 toxicity**)
by G.C. Faifer and H.M. Godoy (Castelar, Argentina) 133–140

Effect of antioxidants on vanadate-induced toxicity towards isolated perfused rat livers (**Cytotoxic activity resides more in the pro-oxidant effects of vanadate than in a rise in intracellular calcium**)
by M. Younes, E. Kayser and O. Strubelt (Lübeck and Berlin, Germany) 141–149

Renal accumulation and urinary excretion of cisplatin in diabetic rats (**Nephrotoxicity is reduced in diabetic rats due to decreased renal accumulation and increased renal excretion of Pt.**)
by M.A. Valentovic, L.A. Scott, E. Madan and R.A. Yokel (Huntington, WV and Lexington, KY) 151–162

Role of lipid peroxidation on renal dysfunction associated with glutathione depletion. Effects of vitamin E (**Vitamin E protects against renal lipid peroxidation in glutathione-depleted rats**)
by A.M. Torres, J.E. Ochoa and M.M. Elias (Rosario, Argentina) 163–172

Behavior of α_{2u}-globulin accumulating in kidneys of male rats treated with *d*-limonene: Kidney-type α_{2u}-globulin in the urine as a marker of *d*-limonene nephropathy (**Kidney-type alpha$_{2U}$-globulin in the urine is an indicator of alpha$_{2U}$-globulin nephropathy**)
by K. Saito, S. Uwagawa, H. Kaneko and A. Yoshitake (Osaka, Japan) 173–183

Alteration of atrial natriuretic peptide levels by short term cadmium treatment (**Cadmium alters select tissue contents of ANP**)
by J. Giridhar and G.E. Isom (West Lafayette, IN) 185–194

Effects of ozone on cellular ATP levels in rat and mouse alveolar macrophages (**Depletion of cellular ATP does not seem to have a role in the ozone-induced impairment of phagocytic functions**)
by R.S. Oosting, M. Van Rees-Verhoef, J. Verhoef, L.M.G. Van Golde and L. Van Bree (Bilthoven and Utrecht, The Netherlands) 195–202

Effects of aflatoxin B_1 on myelopoiesis in vitro (**A bone marrow cell culture is proposed as a model for the hematotoxic actions of the mycotoxin**)
by V. Cukrová, E. Langrová and M. Akao (Prague, Czech and Slovak Federal Republic and Chiba, Japan) 203–211

1,1-Dichloroethylene hepatotoxicity: Hypothyroidism decreases metabolism and covalent binding but not injury in the rat (**Hypothyroidism alters DCE metabolism and the fate of metabolites**)
by M.F. Kanz, Z. Taj and M.T. Moslen (Galveston, TX) 213–229

Effects of trichloroethylene on hepatic and splenic lymphocytotoxic activities in rodents (**Trichloroethylene reduces the immune response**)
by P.F.A. Wright, W.D. Thomas and N.H. Stacey (Sydney, Australia) 231–242

Cardiotoxicity and cytotoxicity of the anthracycline analog 4′-deoxy-4′-iodo-doxorubicin (**The substitution in the 4 position increases the cytotoxicity to tumour cells but decreases cardiotoxicity**)
by R. Danesi, N. Bernardini, C. Agen, M. Costa, P. Macchiarini, P. Della Torre and M. Del Tacca (Pisa and Nerviano, Italy) 243–253

Announcements 255–258

Corrigendum 259

Further findings on the mechanism of cadmium uptake by intestinal mucosal cells (step 1 of Cd absorption) (**Analysis of the model for Cd uptake by the jejunal epithelium**)
by E.C. Foulkes (Cincinnati, OH) 261–270

Human lymphocyte reactivity after in vitro exposure to technical and analytical grade pentachlorophenol (**Pentachlorophenol is immunotoxic to human lymphocytes, the T helper cell subset being especially sensitive**)
by D. Lang and W. Mueller-Ruchholtz (Kiel, Germany) 271–282

The effect of the insecticide heptachlor on *ras* proto-oncogene expression in human myeloblastic leukemia (ML-1) cells (**Heptachlor produces a rapid decline of the *ras* transcript**)
by L.F. Chuang and R.Y. Chuang (Davis, CA) 283–292

Intracellular glutathione in human hepatocytes incubated with *S*-adenosyl-L-methionine and GSH-depleting drugs (**Exogenous *S*-adenosyl-L-methionine increases GSH levels and prevents GSH loss by toxic agents**)
by X. Ponsoda, R. Jover, M. Gómez-Lechón, R. Fabra, R. Trullenque and J.V. Castell (Valencia, Spain) 293–302

Ethanol-induced fatty acid ethyl ester formation in vivo and in vitro in rat lung (**A possible mechanism for ethanol-related chronic lung injury**)
by J.E. Manautou and G.P. Carlson (West Lafayette, IN) 303–312

Tier-2 studies on monocrotaline immunotoxicity in C57BL/6 mice (**B cells are apparently a more sensitive target to monocrotaline immunotoxicity than are T cells**)
by J.A. Deyo and N.I. Kerkvliet (Corvallis, OR) 313–325

Effect of autacoid modulation on *N*-(3,5-dichlorophenyl)succinimide (NDPS) and NDPS metabolite nephrotoxicity **(Renal hemodynamics are altered early during development of NDPS nephrotoxicity)**
by G.O. Rankin, M.A. Valentovic, V.J. Teets, D.W. Nicoll, D.K. Anestis and P.I. Brown(Huntington, WV) 327–344
Persistence of 5-bromo-2′-deoxyuridine in tissues of rats after exposure in early life **(An immunohistochemical study)**
by J.M. Ward, J.R. Henneman, G.Yu Osipova and V.N. Anisimov (Frederick, MD and St. Petersburg, U.S.S.R.) 345–352
The effect of guanidine on the accumulation of amikacin in guinea pig renal cortical slices **(The guanidine transport system appears not to play a role in the renal accumulation of amikacin)**
by C.A.M. Suzuki and B.H. Thomas (Tunney's Pasture, Ottawa) 353–360
Contents of journals relating to Toxicology 361–367
Subject Index Volume 70 369–372
Author Index Volume 70 373
Contents Volume 70 375–377